



TABLE 1: WIRE RUN LIST		
P1 (U-329)	COLOR	P2 (AMPHENOL)
A	OUTER CONDUCTOR	2
B	CENTER CONDUCTOR	1



REV	DATE	DESCRIPTION OF CHANGE	ENG
A	10/30/17	INITIAL RELEASE	LS



PIN LAYOUT OF P1
(FRONT FACE)



PIN LAYOUT OF P2
(FRONT FACE)



BILL OF MATERIALS			
ITEM NO.	PART NUMBER	QTY	NAME / DESCRIPTION
1	U-329/U	1	U-329 6 PIN AUDIO CONNECTOR
2	M17/28-RF058	14'	Coaxial Cable, High Frequency Signal Transmission
3	031-327-RFX	1	Amphenol Coaxial Connector

- NOTES:**
- SOLDERING IPC-J-STD-001 CLASS II AS APPLICABLE.
 - CABLE ASSEMBLIES TO BE TESTED 100% FOR CONTINUITY, SHORTS, AND INSULATION RESISTANCE (250VDC @ 100MOHM MINIMUM).
 - WIRE PER TABLE 1.

UNLESS OTHERWISE SPECIFIED:	NAME	DATE
DIMENSIONS ARE IN: INCHES	DRAWN	LS 10/12/17
TOLERANCES: .XX: ± 0.03	CHECKED	RB 10/12/17
.XXX: ± 0.005	COMMENTS:	
ANGULAR: .X°: 1°	PROPRIETARY AND CONFIDENTIAL	
.XX*: 0.5°	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SUPPLYNET, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SUPPLYNET INC. IS PROHIBITED.	
BREAK EDGES: .005 - .020	SIZE	DWG. NO.
FILLETS: .005 - .020	B	SN-1026
SURFACE FINISH:	REV	A
GEOMETRIC TOLERANCING PER: ASME Y14.5-2009	SCALE: NA	WEIGHT:
MATERIAL: SEE DRAWING NOTES	CAGE CODE: 1HJX9	
FINISH: SEE DRAWING NOTES	SHEET 1 OF 1	
DO NOT SCALE DRAWING		

REF. NUMBER: SN0500

SupplyNet 706 EXECUTIVE BLVD.
SUITE B
VALLEY COTTAGE, NY 10989

TITLE:
U-329/U 6 PIN AUDIO CONNECTOR TO AMPHENOL 031-327-RFX COAXIAL, 12"